



PRICE: ONE PENNY

KNITTING
INSTRUCTIONS

PULLOVER & SLIPOVER

FROM SAME
DIRECTIONS

as featured in
"HOME FASHIONS"

"Greenock"
KNITTING
WOOLS
ARE BEST

SERIES Q
No. 1

OVER
400 BRANCHES

SCOTCH WOOL & HOSIERY STORES

PROPRIETORS

FLEMING, REID & CO. LTD
The Worsted Mills GREENOCK

PULLOVER AND SLIPOVER

FROM SAME DIRECTIONS

Materials required: 10 ozs. "Greenock" Super Fingering, 4-ply, for the Pullover; or 7 ozs. "Greenock" Super Fingering, 4-ply, for the Slipover.
1 Pair each Knitting Needles, Nos. 9 and 11.
Stitch-holder.

Tension.—7 sts. and 9 rows to 1 inch in width with No. 9 needles.

Measurements.—From shoulder to lower edge, 24 inches; chest, 38 to 40 inches; sleeve seam (with cuff turned up), 20 inches.

Abbreviations.—K., knit; p., purl; st., stitch; beg., beginning; tog., together; rep., repeat; inc., increase (by knitting into the back and front of a stitch); dec., decrease (by knitting 2 stitches together).

PULLOVER.

The Back.—With No. 11 needles commence at the lower edge by casting on 132 sts. and work in ribbing of k. 1 and p. 1 for $3\frac{1}{2}$ inches, inc. 1 st. at the end of the last row (133). Change to No. 9 needles and work in pattern as follows:—

Pattern row: Rib—k. 2 and p. 2—until 1 st. remains, then k. 1. Rep. this row over and over again to produce the fancy rib.

Continue in fancy rib until the work measures 14 inches from the cast-on edge, then shape for armholes. Still working in fancy rib, cast off 4 sts. at the beg. of the next 4 rows, then dec. at both ends of the next and following alternate rows 8 times (101). Continue in pattern without shaping until the work measures 24 inches from the commencement, then shape the shoulders thus:—

Next row: Cast off 4 (1 st. now on right-hand needle), pattern the next 23 sts. (24 sts.), turn, leaving the remaining sts. on a stitch-holder meantime.

Next row: Pattern to the armhole edge.

Next row: Cast off 4, pattern to the neck edge, turn.

Rep. the last 2 rows until all the sts. have been cast off.

Leave the centre 45 sts. on the stitch-holder for the neck ribbing and re-join the wool to the neck edge of the remaining sts.

Next row: Pattern across all the sts.

Next row: Cast off 4, pattern to end of row.

Rep. the last 2 rows until all the sts. have been cast off.

Back Neck Ribbing.—With No. 11 needles and right side facing pick up and k. 7 sts. along the right side of neck, k. across the 45 sts. on the holder, then pick up and k. 8 sts. along the left side of the neck (60). Work 9 rows in ribbing of k. 1 and p. 1, then cast off loosely in ribbing.

OVER 400 BRANCHES

SCOTCHWOOL & HOSIERY STORES

"GREENOCK" K
CAN ONLY BE

The Front.—Work as for back until 20 inches long, then commence the neck thus :—*Next row* : Pattern across 38 sts., k. 2 tog., turn, leaving the remaining sts. on a stitch-holder meantime. *Next row* : K. 2 tog., pattern back to the armhole edge. *Next row* : Pattern until 2 sts. remain before the turning point of the last row, then k. 2 tog. Rep. the last 2 rows once.

Next row : K. 2 tog., pattern to the armhole edge. Continue in pattern, dec. at the neck edge on alternate rows 6 times. Now work in pattern on the remaining 28 sts. until the armhole measures the same depth as the back armhole, finishing with the wool at the armhole edge. Shape the shoulder to correspond with the back shoulder.

Leave the centre 21 sts. on the stitch-holder. Re-join the wool to the neck edge of the remaining 40 sts. and work in pattern, dec. at the neck edge on the next 6 rows, then dec. on alternate rows 6 times. Now complete this side of the neck and shoulder to correspond with the other.

Front Neck Ribbing.—With No. 11 needles and the right side of the work facing, pick up and k. 27 sts. along left side of neck, k. across the centre 21 sts., then pick up and k. 28 sts. along the right side of neck (76). Work in ribbing of k. 1 and p. 1 for 9 rows, then cast off loosely in ribbing.



The Sleeves (both alike).—With No. 11 needles commence at the wrists by casting on 64 sts. and work in ribbing of k. 1 and p. 1 for $3\frac{1}{2}$ inches, inc. 1 st. at the end of the last row (65). Change to No. 9 needles and work in pattern, but inc. at each end of every 6th row 24 times (113). Work a few more rows if necessary, to make the sleeve 20 inches with cuff turned up. Still in pattern dec. at both ends of every row until 31 sts. remain. Cast off.

SLIPOVER.

The Armhole Ribbing.—Join shoulder seams, then with right side facing pick up and k. 154 sts. along the armhole edge and work 9 rows in ribbing of k. 1 and p. 1, then cast off loosely in ribbing. Work the other armhole to match.

To Make Up.—Press the knitting on the wrong side with a hot iron over a damp cloth, avoiding the single ribbing. Join shoulder seams of pullover and sew the sleeves into armholes. Press these seams while the work is flat, then join the side and sleeve seams and press.


120

KNITTING WOOLS
OBTAINED AT THE

SCOTCHWOOL & HOSIERY STORES

OVER 400 BRANCHES

BRANCH MILLS



BRIDGEND MILLS, DALRY



THE WORSTED MILLS, GREENOCK

*From the Mills to the
Millions*

"Greenock"


**KNITTING WOOLS
HOSIERY & UNDERWEAR**

*are supplied direct to the public
through our own 400 Branches*

Known as

SCOTCH WOOL & HOSIERY STORES

00536778



Proprietors

FLEMING, REID & CO. LTD
The Worsted Mills **GREENOCK**

**WE ARE THE ONLY WORSTED SPINNERS AND HOSIERY
MANUFACTURERS SELLING DIRECT TO THE PUBLIC**